

## تحصیل میونسپل اینڈسٹریشن سی

### کوئٹن نوٹس دیکاریں

تحصیل میونسپل اینڈسٹریشن سی مندرجہ ذیل مشینری خریدنا چاہتی ہے۔ خواہشمند ڈیلر حضرات اپنی کوئٹن علیحدہ علیحدہ لفافوں میں بمع دو فیصد زر ضمانت (کل مالیت کے) بنام ناظم تحصیل میونسپل اینڈسٹریشن سی مورخہ 19/12/2016 کو بوقت 12:00 PM کو پہنچانا چاہئے۔ کوئٹن ڈیلر زیا ان کے مجاز نمائندوں کے سامنے اسی دن بوقت 12:30 کھولے جائیں گے۔ اگر مقررہ تاریخ پر حکومت کی جانب سے عام تعطیل کا اعلان ہوا تو انہی شرائط پر اگلے دن اسی وقت کوئٹن کھولے جائیں گے۔ مزید معلومات کیلئے دفتر اوقات میں انجینئر گنگ راج سے رابطہ کیا جاسکتا ہے۔

Sr. No	Description / Specification	Quantity
1	<b>Conversion of 640 fiat tractor to front end loader</b>	<b>01</b>
	(a) Heavy duty commercial Front loader (b) Bucket Closed Earth Bucket with Digging Teeth (c) Bucket Volume 1 cubic meter (d) lifting time 3-6 second (e) Max lifting capacity 1000 kg (f) Operation Hydraulic (g) Lift Height at Pivot point 10' x 6" (3 meter) (h) Lift Ram 2 double acting (i) Bucket Ram single / double acting (j) Rear Tank Empty Tank SWF 10 Guage as per standard size for 10 front wheel support (k) Commercial Hydraulic system. The rear extra hydraulic system hydraulic pump. Hydraulic tank etc must be attached wiht front end loader.	
2	<b>Hydraulic Tripping Trolley for 60 HP tractor</b>	<b>02</b>
	(a) Hydraulic tripping trolley 5 tone (b) Body size: 10' x 6' x2' (c) Body Fabrication MS sheet SWG 10 Floor side wall 12 Guage (d) Axle Heavy duty. Length 52", (e) Hydraulic Jack Standard Quantity (f) Tyres 4 Nos size 900-20 brand new (g) Maximum lifting time:10 second at 1500-1789 Rom of tractor enginer (h) Lower Frame Iron 10"x3"x3" thickness 2/8" (i) Uper Frame Iron 6"x3"x3" thickness 1/8"	

3	<b>Fog Machine / Generator portable thermal (imported)</b>	<b>08</b>
	<ul style="list-style-type: none"> <li>a) Weight Empty (lbs/kg 79 kg</li> <li>(b) Dimension incches 137 5x27x34</li> <li>(c) Solution Tank Capacity 5.7 L</li> <li>(d) Fuel Tank capacity 2 L</li> <li>(e) Fuel Consumption 12 L/HR</li> <li>(f) Max flow rate (Oil base) 42 L/HR</li> <li>(g) Horizontal Reach (indoor) 328ft/100M</li> <li>(h) Ignition batteries 4" D" batteries</li> <li>(i) Whoops evaluated and approved</li> <li>(j) performance of combustion chamber 18 7kw=25.4HP</li> <li>(k) Water based fog bube on request</li> <li>(l) Steel Tank</li> <li>(m) 01 year warrantee</li> </ul>	
4	<b>Water Bowser</b>	<b>01</b>
	<ul style="list-style-type: none"> <li>(a) 1000 gallon capacity tank suitable with Tractor tow-able cylindrical shap</li> <li>(b) Size: 4' x 6' x 8'</li> <li>(c) Wall thickness 3.20 MM</li> <li>(d) Buffle plate: 01</li> <li>(e) Chases channel 8" x 3'</li> <li>(f) Axel bearing: 7513 x 7516</li> <li>(g) Axel piple: 5"</li> <li>(h) pray shower included</li> <li>(i) Mud guard included</li> <li>(j) Used Rims: 900-20x2</li> <li>(k) Inner Anti-Ruist paint included</li> <li>(l) Rolled Steel Tank</li> <li>(m) Top mounted suitable filling points</li> <li>(n) Access ladder to filling points</li> <li>(o) Rear mouted water sprinkler</li> <li>(p) Heavey duty trailer for Tow-able water units</li> <li>(q) 01 year warrantee</li> </ul>	

5	<b>Repair of existing dewatering pumps</b>	06
	<p>(a) capacity 35 kv (local made)</p> <p>(b) complete engine bore</p> <p>(c) accessories (standard parts) 2.5 " including chakwal + spliting pipe</p> <p>(d) tyres for dewatering pump carriage trolley size 10</p> <p>(e) conversion of starting mechanism from revolving gear to switch start.</p> <p>(f) The quotation must contain fixation charges including all taxes with 6 months warranty.</p>	

چیدہ چیدہ شرائط درج ذیل ہیں:-

- (۱) اپنے ریٹ کا دو فیصد کال ڈیپازٹ کوٹیشن کے ہمراہ ہونا چاہئے۔
- (۲) گورنمنٹ کے تمام ٹیکسز لاگو ہیں۔
- (۳) قومی شناختی کارڈ کی کاپی کوٹیشن کے ہمراہ لف ہونا چاہئے
- (۴) ورک آرڈر کے ملنے کے ایک مہینے کے اندر اندر سپلائی مکمل کرنا ہوگا۔

تخصیص میونسپل آفیسر  
ٹی ایم اے سی